

AN 2050N SERIES

SINGLE-LINE ARTIFICIAL NETWORKS (AN) FOR EMISSION MEASUREMENTS IN BATTERY SUPPLY SYSTEMS



FOR TESTS ACCORDING TO ...

- › CISPR 25
- › ISO 11452-4
- › ISO 7637-1:1990
- › ISO 7637-2:2004
- › ISO 7637-2:2011

AN 2050N SERIES - ARTIFICIAL NETWORKS (AN) FOR EMISSION MEASUREMENTS IN BATTERY SUPPLY SYSTEMS




The EM TEST single-line Artificial Networks, type AN 2050N series, are used for the simulation of the impedance of the wiring harness particularly for testing the interference voltage in HF-VHF-area in the battery supply system (e.g. in the automotive, aerospace and military area).

They are designed to meet the specifications as per CISPR 25/ISO 11452-4 or ISO 7637.

HIGHLIGHTS

- › Artificial Network as per ISO 7637 or CISPR 25/ISO 11452-4
- › Frequency range: 100kHz - 108MHz
- › DC voltage max. 400V
- › AC voltage max. 250V (up to 1kHz)
- › Current max. 50A AC/DC cont.
- › Insertion loss < 3dB
- › Compact design

APPLICATION AREAS

-  AUTOMOTIVE
-  AVIONICS
-  MILITARY

TECHNICAL DETAILS

AN 2050N SERIES

MODEL OVERVIEW

AN 2050N	Artificial Network as per ISO 7637-2:2011 and ISO 7637-1:1990
AN 2050N1	Artificial Network as per CISPR 25 (with 1uF) and ISO 11452-4

TECHNICAL DATA

Frequency range	0.1 to 108MHz
Operation voltage	400V DC / 250V AC (up to 1kHz)
Operation current	50A continuous
Impedance	50ohm // 5uH +/-10% (AN 2050N) 50ohm // 5uH + 1uF (AN 2050N1)
Insertion loss	< 3dB DUT to receiver output
Inductance	5uH +/-10% (air-core coil)
Coupling capacitor	0.1uF

MEASUREMENT

Power supply/DUT connection	High-current connector up to 100A 4mm safety lab connector up to 32A
Test output	BNC-connections


GENERAL DATA

Dimensions	180 x 105 x 104mm (L x W x H) (without connecting socket)
Weight	approx. 1kg

OPTIONS

BS 200N80	Electronic switch, 60V/80A, for the measurement of transient pulse emission as per ISO 7637
-----------	---

COMPETENCE WHEREVER YOU ARE



CONTACT EM TEST DIRECTLY

Switzerland

AMETEK CTS GmbH › Sternenhofstraße 15 › 4153 Reinach › Switzerland
 Phone +41 (0)61 204 41 11 › Fax +41 (0)61 204 41 00
 Internet: www.ametek-cts.com › E-mail: sales.conducted.cts@ametek.com

Germany

AMETEK CTS Europe GmbH › Customer Care Center EMEA › Lünener Straße 211
 › 59174 Kamen › Germany
 Phone +49 (0) 2307 26070-0 › Fax +49 (0) 2307 17050
 Internet: www.ametek-cts.com › E-mail: info.cts.de@ametek.com

Poland

AMETEK CTS Europe GmbH › Biuro w Polsce › ul. Twarda 44 › 00-831 Warsaw › Poland
 Phone +48 (0) 518 643 12
 Internet: www.ametek-cts.com › E-mail: Infopolska.cts@ametek.com

USA / Canada

AMETEK CTS US › 52 Mayfield Ave › Edison › NJ 08837 › USA
 Phone +1 732 417 0501
 Internet: www.ametek-cts.com › E-mail: usasales.cts@ametek.com

P.R. China

E & S Test Technology Limited › Rm 913, Leftbank ›
 No. 68 Bei Si Huan Xi Lu › Haidian District › Beijing 100080 › P.R. China
 Phone +86 (0)10 82 67 60 27 › Fax +86 (0)10 82 67 62 38
 Internet: www.emtest.com › E-mail: info@emtest.com.cn

Republic of Korea

EM TEST Korea Limited › #405 › WooYeon Plaza › #986-8 › YoungDeok-dong ›
 Giheung-gu › Yongin-si › Gyeonggi-do › Korea
 Phone +82 (31) 216 8616 › Fax +82 (31) 216 8616
 Internet: www.emtest.co.kr › E-mail: sales@emtest.co.kr

Singapore

AMETEK Singapore Pte. Ltd › No. 43 Changi South Avenue 2 › 04-01 Singapore
 48164
 Internet: www.ametek-cts.com › E-mail: singaporesales.cts@ametek.com

Great Britain

AMETEK GB › 5 Ashville Way › Molly Millars Lane › Wokingham › Berkshire
 RG41 2 PL › Great Britain
 Phone +44 845 074 0660
 Internet: www.ametek-cts.com

Information about scope of delivery, visual design and technical data correspond with the state of development at time of release. Subject to change without further notice.